

4	335	705/26.ccls. AND (relational NEAR5 database\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/30 09:06
5	116	(705/26.ccls. AND (relational NEAR5 database\$3)) AND XML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/30 09:14
7	25	((705/26.ccls. AND (relational NEAR5 database\$3)) AND XML) AND @ad<20010122	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/30 09:28
8	2	"20020107761"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/30 09:30
9	2	6721727.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/30 09:30

	Hits	Search Text	DBs
1	1	("20020099715").PN.	US-PGPUB
2	2	((("20020099715") or ("6732109"))).PN.	USPAT; US-PGPUB
3	5222	(relational with database\$1) and (hierarch\$6 or categor\$6 or tree\$1 or classif\$6 or vector\$6 or group\$6) and stor\$6 and (table\$1 or relation\$1 or entit\$3) and (@ad < "20010122")	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
4	4242	13 and name\$1	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
5	4159	14 and (row\$1 or record\$1 or file\$1 or document\$1 or page\$1 or tuple\$1) and (column\$1 or field\$1 or attribute\$1)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
6	683	15 and (character with data)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
7	2059	15 and character\$1	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
8	1196	17 and ((unique or primary) with (id\$1 or identification\$1 or identifier\$1 or key\$1))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
9	119	18 and (xml or (extensible adj markup adj language\$1))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
10	116	19 and value\$1	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
11	3281	15 and char\$6	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
12	889	17 and ((unique or primary) with (id\$1 or key\$1))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
13	102	113 and (xml or (extensible adj markup adj language\$1))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
14	101	114 and value\$1	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
15	0	("6631379").PN.	US-PGPUB
16	1	("6631379").PN.	USPAT; US-PGPUB

	Hits	Search Text	DBs
17	20	(("20030041000") or ("20020128734") or ("20020123993") or ("20020122063") or ("20020120547") or ("20020107761") or ("20020073236") or ("20020049603") or ("6738077") or ("6721747") or ("6721727") or ("6604110") or ("6584459") or ("6487457") or ("6463352") or ("6421656") or ("6366934") or ("6301584") or ("6199063") or ("6094649")) .PN.	USPAT; US-PGPUB
18	3233	(705/26) .CCLS.	USPAT; US-PGPUB
19	135	119 and 13	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
20	3	120 and 19	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
21	3	120 and 19	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	582	("6397219" "6466940" "6535884" "6675353" "6418448" "5727195" "6490591" "6662342" "6675354" "6684222" "6718338" "6463440" "6272495" "4893232" "5261093" "5724577" "5974418" "6047267" "6175839" "6262729" "6429880" "5878419" "5313636" "5524240" "5812130" "5819279" "5826265" "5864875" "5878408" "5920873" "5950201" "6088693"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	151	L1 AND (707/3,100,101,102,103).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;
3	BRS	L3	41	L2 AND XML	USPAT; US-PGPUB; EPO; JPO; DERWENT;
4	BRS	L4	335	705/26.ccls. AND (relational NEAR5 database\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
5	BRS	L5	116	L4 AND XML	USPAT; US-PGPUB; EPO; JPO; DERWENT;
6	BRS	L7	25	L5 AND @ad<20010122	USPAT; US-PGPUB; EPO; JPO; DERWENT;
7	BRS	L8	2	"20020107761"	USPAT; US-PGPUB; EPO; JPO; DERWENT;
8	BRS	L9	2	6721727.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT;